



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/590,839	08/24/2006	Chan Hyuk Chyun	31132/42272	1431
4743 7590 02/06/2008 MARSHALL, GERSTEIN & BORUN LLP 233 S. WACKER DRIVE, SUITE 6300 SEARS TOWER CHICAGO, IL 60606			EXAMINER FAN, HONGMIN	
			ART UNIT 2612	PAPER NUMBER
			MAIL DATE 02/06/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/590,839

Applicant(s)

CHYUN, CHAN HYUK

Examiner

Hongmin Fan

Art Unit

2612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 August 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Drawings

The drawings are objected to because in Fig. 4, there are not labels 20A, 20B and 20C for the stick-shaped members as described in the specification (Page 4, line 18). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-2 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gardner JR et al(US 2003/0213161) in view of Hama et al (US 6239423).

As to claim 1-2 and 4, referring to Fig. 1 and 5A, Gardner JR et al disclosed an apparatus for automatic pest (including rat or rodents, ¶0002, line 1-2)) trap report generation comprising a stick-shaped member 504 having a sensor 506. Gardner JR et al did not disclose a plurality of sensors. However, it is known in the art to have a plurality of sensors installed on a pole to make a light curtain. Referring to Fig. 1, Hama et al teach a sensing device comprising a plurality of sensors 31 (or modules) installed on a pole. Therefore, it would have been obvious to one of ordinary skills in the art at the time of the invention to have a plurality of sensors installed on a pole in Gardner's apparatus since it is known in the art.

Gardner JR et al did not expressly disclose the apparatus is located at the corner of a building. However, one of ordinary skills in the readily recognizes that apparatus has to be located where the pests most likely occur, including the corner of a building.

Claims 3 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Weil et al (US 6177885).

As to claim 3 and 6, referring to Fig. 1, Weil et al disclosed a motion detection system having plurality of infrared sensors (col. 4, line 35) installed on a supporting beam T (i.e. stick-shaped member) wherein the sensors are facing downward to the

ground (or floor). Weil et al did not disclose the system for detecting rat. However, one of ordinary skills in the art readily recognizes that infrared sensor can be also adopted for detecting rat movement. Further, since rats are likely to roam around building, one of ordinary skills in the art readily recognizes that one way to support the supporting beam is to utilize the wall of the building. Therefore, it would have been obvious to one of ordinary skills in the art at the time of the invention to have a plurality of sensors installed in a stick-shaped member supported by the wall of building in order to monitor rat movement on the ground.

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hermans (US 5221919).

As to claim 5, referring to Fig. 1, Hermans disclosed a motion detection apparatus having a plurality of infrared sensors 17 in a dome shaped lens 22 attached to a ceiling of a building. Hermans did not disclose the system for detecting rat. However, one of ordinary skills in the art readily recognizes that infrared sensor can be also adopted for detecting rat movement. Therefore, it would have been obvious to one of ordinary skills in the art at the time of the invention to have a plurality of infrared sensors 17 in a dome attached to a ceiling of a building in order to monitor rat movement.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hongmin Fan whose telephone number is 571-272-2784. The examiner can normally be reached on Monday - Friday, 8:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffery Hofsass can be reached on 571-272-2981. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HF


DAVETTA W. GOINS
PRIMARY EXAMINER